

**Burroughs**



**PUBLICATION  
CHANGE  
NOTICE**

PCN No.: 5001530-002 Date: September 1981  
Publication Title: B 5000/B 6000/B 7000 PL/I Language Reference Manual  
Other Affected Publications: None  
Supersedes: \_\_\_\_\_

Description:

Add Pages

Index-1 thru Index-13

The above pages covering  
PCN 5001530-002

COPYRIGHT © 1981  
BURROUGHS CORPORATION  
Detroit, Michigan 48232

PUBLICATION  
CHANGE  
NOTICE



Burroughs

Form with fields for: Date (September 1981), Title, Author, and other publication details.

"The names used in this publication are not of individuals living or otherwise. Any similarity or likeness of the names used in this publication with the names of any individual, living or otherwise, is purely coincidental and not intentional."

Burroughs believes that the information described in this document is accurate and reliable, and much care has been taken in its preparation. However, no responsibility, financial or otherwise, is accepted for any consequences arising out of use of this information..

The information contained herein is subject to change without notice. Revisions may be issued to advise of such changes and/or additions.

Correspondence regarding this publication should be forwarded using the Remarks form at the back of the manual, or may be addressed directly to TIO West Documentation, Burroughs Corporation, 1300 John Reed Court, City of Industry, California 91745, U.S.A.

## INDEX

ABS Arithmetic Built-In Function	Ai- 14
<access-attribute>	4- 36, 4- 39
<activate-statement>	11- 6
ACTIVATE statement	11- 2, 11- 6, 11- 7
ACTIVATION AND TERMINATION OF BLOCKS	10- 2
ADD Arithmetic Built-In Function	A1- 14
ADDR Based Storage Function	A1- 33
AFTER String Built-In Function	A1- 3
<alignment-attribute>	4- 49, 4- 50
ALL Array Manipulation Function	A1- 28
<allocate-statement>	7- 47
ALLOCATE statement	4- 28, 4- 47, 7- 15, 7- 47, 7- 48, 7- 52, 10- 7, 10- 8
<allocation>	7- 47
ALLOCATION Built-In Function	A1- 35
alphanumeric characters	3- 1
alphanumeric character	3- 1
ANY Array Manipulation Function	A1- 28
<area>	7- 25
AREA	3- 6, 4- 2, 4- 30, 4- 33, 7- 5, 7- 24, 7- 48, 7- 49, 7- 52, A1- 38, A2- 6, A2- 9
<area-attribute>	4- 24, 4- 28, 4- 30
Area Data	3- 7
<area-expression>	4- 30
<area-reference>	4- 27, 4- 28
<argument>	7- 9, 9- 2
<argument-list>	4- 54
<arithmetic>	4- 7
Arithmetic attributes	4- 7
ARITHMETIC BUILT-IN FUNCTIONS	A1- 14
<arithmetic-constant>	8- 10
Arithmetic Data	3- 6, 8- 12
Arithmetic Operators	3- 2
Arithmetic Variables	3- 12
<array>	4- 7, 4- 43
<array-assignment>	7- 4, 7- 5, 7- 6, 7- 8
ARRAY MANIPULATION BUILT-IN FUNCTIONS	A1- 28
<array-variable>	7- 4
<assignment-statement>	7- 4
<asterisk>	4- 11, 4- 30, 4- 43, 4- 48
ATAN Mathematical Built-In Function	A1- 21
ATAND Mathematical Built-In Function	A1- 22
ATTRIB	A7- 2, A7- 4, A7- 13
<attribute>	4- 35, 7- 25, 7- 28
<attribute-expression>	7- 27
<attribute-expression1>	7- 27
<attribute-expression2>	7- 27
<attribute-expression3>	7- 27
<attribute-keyword>	7- 27
<attribute-list>	7- 27
<attribute-name>	4- 33, 4- 35, 11- 8
<attribute-set>	7- 53
AUTOMATIC storage class attribute	7- 26, 7- 28, 7- 29
AVAILABLE	10- 6
	7- 40, 7- 42
BASE	3- 6, 5- 3, 7- 30, A1- 14, A1- 15, A1- 17, A1- 19, A1- 20
<base attribute>	4- 8
<base-attribute>	4- 7, 4- 8, 4- 13
<base-item>	4- 55
Based Allocation	7- 48
<based-attribute>	4- 49
BASED attribute	4- 11, 4- 44, 4- 47, 4- 51, 7- 25, 7- 48, 7- 50, 10- 9

<based-locator-variable>	4- 29
BASED STORAGE BUILT-IN FUNCTIONS	A1- 33
<based-variable>	4- 29, 7- 51
BASED variable	7- 39, 7- 40, 7- 52, 10- 9
BEFORE String Built-in Function	A1- 3
<begin-block>	6- 4
<begin-option-list>	7- 21
<begin-statement>	6- 4, 7- 21
BEGIN statement	6- 4, 7- 21, 7-21- A, 10- 2, 10- 10, A7- 29
BINARY	3- 5, 4- 8, 4- 10, 4- 33, 4- 34, 4- 60, 5- 9, 7- 28, 7- 30, 9- 6, A1- 1, A1- 9, A1- 15, A3- 1
BINARY Arithmetic Built-In Function	A1- 15
binary digit	3- 1
<binary-fixed-point-constant>	3- 7
<binary-floating-point-constant>	3- 7
BIT	4- 3, 4- 11, 4- 33, 4- 53, 7- 19, 7- 20, 7- 46, 7-46- C, A1- 1, A1- 4, A1- 9
BIT String Built-In Function	A1- 4
<bit-string-format-item>	8- 24
<bit-string-operation>	5- 7
<Boolean-valued-system-file-attribute>	7- 40
<bound>	4- 43
Braces	2- 2
Brackets	2- 2, A7- 11
Built-in Function Names	3- 5
<builtin-attribute>	4- 34
BY NAME option	7- 6, 7- 7
<call-statement>	7- 9, 9- 2
CALL statement	4- 2, 7- 3, 7- 9, 9- 3, 9- 7
CARDCOL	A7- 3, A7- 4
CEIL Arithmetic Built-In Function	A1- 15
CHAR String Built-In Function	A1- 5
CHARACTER	1- 1, 3- 1, 3- 2, 4- 3, 4- 11, 4- 59, 7- 25, 7- 50, 8- 9, 10- 8, 11- 2, 11- 3, 11- 4, 11- 6, 11- 8, A1- 8, A3- 1, A4- 1
<character-picture-element>	4- 13
<character-picture-item>	4- 13
<character-picture-specification>	4- 13, 8- 24, 8- 25
<character-string>	7- 40
Character String Constants	3- 9
Character String Data	8- 14
<character-string-format-item>	8- 24
Character String Variables	3- 12
CHARACTERISTICS	A1- 14
CHECK	A2- 1, A7- 2, A7- 6
CLASSIFICATION OF CONDITIONS	A2- 1
<close-option>	7- 34
<close-statement>	7- 34
CLOSE statement	7- 2, 7- 34, 8- 4
Closing a File	8- 4
CODE	7- 30, A7- 2, A7- 6
Coded Arithmetic Data	8- 12
Coded real fixed-point binary data	8- 13
Coded real floating-point binary data	8- 13
Coded real floating-point decimal data	8- 13
COLLATE String Built-In Function	A1- 5
COLUMN format item	8- 26
COL1	A7- 3, A7- 7, A7- 24
COL2	A7- 3, A7- 9, A7- 25
<comment>	3- 22
<comment-string>	3- 22
Comments	3- 22
<comparison-operation>	5- 6
Comparison Operators	3- 2

<compile-time assignment statement>	11- 7
<compile-time declare-statement>	11- 8
<compile-time do-group>	11- 9
<compile-time expression>	11- 4
<compile-time-expression>	11- 7, 11- 10
Compile-time expressions	11- 3
<compile-time GO TO statement>	11- 9
<compile-time IF statement>	11- 10
<compile-time null-statement>	11- 11
<compile-time procedure>	11- 4
compile-time procedure	11- 2, 11- 3, 11- 4, 11- 5, 11- 8, 11- 9
<compile-time PUT statement>	11- 11
COMPILE-TIME STATEMENTS	11- 1, 11- 6
compile-time variable	11- 3, 11- 6, 11- 7, 11- 9
COMPILETIME Built-In Function	A1- 35
<compound statement>	6- 1
COMPUTATIONAL BUILT-IN FUNCTIONS	A1- 3
<concatenation-operation>	5- 8
<condition>	7- 30, 7- 33
Condition	3- 5, 6- 6, 10- 10, 10- 15, A1- 1, A1- 31, A1- 32
CONDITION BUILT-IN FUNCTIONS	A1- 30
<condition-list>	7- 32
<condition-name>	6- 7, 10- 12
CONDITION-NAME	4- 2
<condition-prefix>	6- 7
<conditional compound statement>	6- 1
<config>	A1- 9
<constant>	8- 15
CONSTANT attribute	4- 3
<constant expression>	7- 18
CONSTANTS	3- 7, 3- 9
Contextual declarations	4- 2
Control Format Items	8- 25
Controlled Allocation	7- 47
<controlled-variable>	7- 51
CONTROLS	4- 14, 8- 22, 10- 15, A1- 31, A1- 32, A7- 2, A7- 10
CONVERSION condition	A1- 5
COPY String Built-In Function	A1- 22
COS Mathematical Built-In Function	A1- 22
COSD Mathematical Built-In Function	A1- 23
COSH Mathematical Built-In Function	A1- 35
COUNT Built-In Function	A7- 30
COUNTS option	4- 22
<credit>	4- 20
<currency-character>	8- 23
<D digits>	4- 7
<data>	3- 15
Data Aggregates	4- 50
<data-attribute>	4- 7
<data-description-attributes>	8- 15
<data-directed-data-in-stream>	8- 14
<data-directed-data-specification>	8- 15
Data Directed Input	8- 17
Data Directed Output	8- 6
Data-directed transmission	3- 5
DATA ELEMENTS	8- 20
Data format items	8- 19
<data-list>	3- 13
DATA ORGANIZATION	7- 37, 7- 43, 8- 5
<data-specification>	7- 22, 7- 23, 7- 24
<data-specification-attributes>	4- 59
<data-type>	10- 14, A1- 2, A1- 31, A2- 4
DATAFIELD	

DATAFIELD Condition Built-In Function . . . . .	A1- 31
DATE Built-In Function . . . . .	A1- 36
<deactivate-statement> . . . . .	11- 6
DEACTIVATE statement . . . . .	11- 7
<debit> . . . . .	4- 22
DECAT String Built-In Function . . . . .	A1- 6
DECIMAL . . . . .	3- 6, 4- 8, 4- 33, 4- 60, 5- 9, 7- 28, 7- 30, 11- 3, 11- 7, 11- 8, A1- 1, A1- 9, A1- 16, A3- 1
DECIMAL Arithmetic Built-In Function . . . . .	A1- 16
Decimal digits . . . . .	3- 1
<decimal-fixed-point-constant> . . . . .	3- 7
<decimal-floating-point-constant> . . . . .	3- 7
<decimal-specifier> . . . . .	4- 14, 4- 16
<declaration> . . . . .	7- 26
<declaration-list> . . . . .	7- 26
DECLARATIONS . . . . .	4- 1
<declare-statement> . . . . .	7- 25, 7- 26
DECLARE statement . . . . .	3- 16, 4- 1, 4- 2, 4- 35, A7- 36, 7- 25, 7- 26, 7- 47, 8- 2, 8- 4, 9- 1, 9- 7, 11- 2, 11- 3, 11- 5, 11- 7, 11- 8
<declared identifiers> . . . . .	7- 26
<default-set> . . . . .	7- 27
<default statement> . . . . .	7- 27
DEFAULT statement . . . . .	4- 59, 7- 27, 7- 28, 7- 29
<defined-attribute> . . . . .	4- 50, 4- 54
DEFINED attribute . . . . .	4- 31, 4- 56, 4- 58, 7- 45, 9- 1
<delay-statement> . . . . .	7- 10
DELAY statement . . . . .	7- 10
<delete-statement> . . . . .	7- 35
DELETE statement . . . . .	4- 35, 7- 2, 7- 35, 7- 36, 8- 28
<digit> . . . . .	2- 1, 2- 2
DIM Array Manipulation Function . . . . .	A1- 28
<dimension-attribute> . . . . .	4- 42, 4- 44
DIMENSION attribute . . . . .	4- 33, 9- 8
DIRECT file . . . . .	8- 28
<display-statement> . . . . .	7- 36
DISPLAY statement . . . . .	7- 2, 7- 36
DIVIDE Arithmetic Built-In Function . . . . .	A1- 16
<do-group> . . . . .	6- 3
<do-statement> . . . . .	2- 1, 6- 3, 7- 10
DO statement . . . . .	3- 3, 6- 3, 7- 3, 7- 10, 7- 11, 7- 12, A1- 37
<dump-option> . . . . .	7- 30
<dump-statement> . . . . .	7- 30
DUMP statement . . . . .	7- 30, A7- 11, A7- 12
<edit-directed-data-specification> . . . . .	8- 19
Edit-directed transmission . . . . .	8- 6
<element> . . . . .	8- 7, 8- 8
<elementary-arithmetic-operation> . . . . .	5- 3
ellipsis . . . . .	2- 2
EMPTY built-in function . . . . .	4- 31
<end-statement> . . . . .	7- 22
END statement . . . . .	6- 3, 6- 4, 7- 3, 7- 17, 7- 22, 10- 2, 11- 1, 11- 4
ENDFILE(<filename>) . . . . .	A2- 3
ENDPAGE(<filename>) . . . . .	A2- 3
<entry> . . . . .	4- 7, 4- 32
ENTRY attribute . . . . .	4- 32, 4- 33, 7- 26, 9- 6, 9- 7, 9- 8, 9- 9
<entry constant> . . . . .	7- 18
Entry Constants . . . . .	3- 11
<entry-expression> . . . . .	4- 33
<entry-expressions> . . . . .	4- 33
Entry-Label Data . . . . .	3- 7
<entry-name> . . . . .	7- 9, 7- 22, 7- 23, 9- 2
<entry-statement> . . . . .	7- 22

ENTRY statement	4- 1, 4- 2, 6- 4, 7- 1, 7- 3, 7- 22, 7- 23, 7- 24, 7- 29, 9- 1, 9- 3
Entry Variables	3- 13
ENVIRONMENT	4- 40, 7- 18, 7- 34, 7- 35, 7- 40, 7- 41, 7- 42, 8- 1, 8- 3, A3- 1
<environment-attribute>	4- 35
ERF Mathematical Built-In Function	A1- 23
ERRLIST	A7- 2, A7- 12
ERRORS	A7- 2, A7- 12
<event-valued-attribute>	7- 21
EXCEPT String Built-In Function	A1- 7
EXEC	A7- 3, A7- 13
<exit-statement>	7- 14
EXIT statement	7- 3, 7- 14, 10- 2
Explicit Declarations	4- 1
Explicit Opening	8- 4
<exponent>	8- 22, 8- 23
<exponent-character>	4- 23
<expression>	4- 29, 7- 11, 7- 46, 8- 5, 9- 3, A1- 19, A1- 20
<expression 1>	7- 10
<expression 2>	7- 10
<expression 3>	7- 10
<expression 4>	7- 10
<expression1>	7- 10
<expression2>	7- 11, 7- 12, 7- 13, 8- 8
<expression3>	7- 12, 7- 13, 8- 8
<expression4>	7- 11, 7- 12, 7- 13, 8- 8
<expression5>	8- 8
<expression8>	7- 12
EXTERN	7- 13
EXTERNAL attribute	A7- 2, A7- 13
	4- 1, 4- 4, 4- 5, 4- 49, A7- 13
<factor>	
<file>	A1- 6, A1- 10
<file-attribute>	4- 7, 4- 36
<file-attribute-list>	4- 36
File Constants	8- 1
<file expression>	3- 11
<file name>	7- 18
<file-name>	2- 1, 7- 34, 7- 35, 7- 37, 7- 39, 7- 40, 7- 41, 7- 43, 7- 44, 7- 45, 7- 46, 7-46- A, 7-46- B, A1- 35, A1- 36
FILE option	4- 2, 7- 34, 7- 41
<file-title>	7- 40, 11- 10
File Variables	3- 13
<filename>	A2- 3, A2- 4, A2- 5
FIXED	2- 2, 3- 6, 4- 6, 4- 8, 4- 9, 4- 35, 4- 60, 5- 9, 7- 17, 7- 30, 8- 13, 9- 4, 9- 6, 9- 8, 9- 9, 11- 2, 11- 3, 11- 7, 11- 8, A1- 1, A1- 16, A1- 17
FIXED Arithmetic Built-in Function	A1- 17
<fixed-point-format-item>	A1- 16
<fixed-point-picture>	8- 21
FIXEDOVERFLOW	6- 7, 10- 10, 10- 11, A2- 1, A2- 2, A3- 1
FLEVEL	A7- 3, A7- 14
FLOAT	2- 2, 3- 4, 3- 6, 4- 3, 4- 9, 4- 33, 4- 35, 5- 9, 7- 17, 7- 30, 8- 9, 9- 5, 9- 6, 9- 7, 9- 8, A1- 1, A1- 17, A6- 4
FLOAT Arithmetic Built-in Function	A1- 17
<floating-point-format-item>	8- 22
<floating-point-picture>	4- 15
FLOOR Arithmetic Built-In Function	A1- 17
<format-attribute>	4- 24, 4- 26
<format-designator>	4- 26
<format-item>	8- 20
Format Label Constants	3- 11
Format Label Variables	3- 14

<format-list>	7- 36, 7- 37, 8- 5, 8- 19, 8- 20
<format-list-item>	8- 20
<format-statement>	7- 36
FORMAT statement	7- 2, 7- 36, 7- 37, 8- 27
<free-statement>	7- 51
FREE statement	4- 30, 7- 47, 7- 51, 7- 52, 10- 7, 10- 6, 10- 8
FROM String Built-In Function	A1- 8
<fully-prefixed-statement>	6- 7
<function-attribute>	4- 36
<function-reference>	9- 2
GENERIC	4- 33, 7- 9, 9- 9
<generic-attribute>	4- 32, 4- 33
<generic-attribute-list>	4- 33
<generic-attributes>	4- 33
<generic-element>	4- 33
<get-statement>	7- 37
GET statement	7- 37, 7- 41, 8- 5, 8- 15
<go-to-statement>	7- 14
GO TO statement	7- 3, 7- 13, 7- 14, 7- 15, 7- 37, 11- 4, 11- 9, 11- 10
<group>	6- 3
HBOUND Array Manipulation Function	A1- 29
HIGH String Built-in Function	A1- 8
<identifier>	2- 2, 3- 20, 3- 22, 6- 2, 7- 25, 7- 27, 7- 28, 7- 47, 10- 15, 11- 4, 11- 6, 11- 8, A2- 7
<identifiers>	6- 2
IDENTIFIERS	3- 4
<if-statement>	7- 16
IF statement	7- 13, 7- 16, 11- 9, 11- 10
IGNORE option	7- 45
Implicit Declarations	4- 3
Implicit Opening	8- 3, 8- 4
<in-attribute>	4- 30
<in-option>	4- 30, 4- 31
IN option	7- 48, 7- 49, 7- 52
INCLCOL	A7- 3, A7- 14
<include-file-name>	11- 10
<include-statement>	11- 10
INCLUDE statement	11- 6, 11- 10
INDEX option	7- 45
INDEX String Built-In Function	A1- 8
<initial attribute>	11- 8
<initial-attribute>	4- 50, 4- 51, 11- 8
INITIAL attribute	4- 25, 4- 31, 4- 47, 4- 46, 4- 51, 4- 52, 7- 39
<initial-call>	4- 31, 4- 54
<initial-list>	4- 52
INPUT attribute	4- 36
<input-file-option>	8- 5
<input-option>	7- 18
INPUT/OUTPUT CONDITIONS	A2- 3
<input-string-option>	8- 5
<insertion-character>	4- 15, 4- 19
<integer-constant>	4- 9, 4- 13, 4- 24, 7- 25, 8- 20
INTERNAL attribute	4- 2, 8- 6
<internal-file-name>	7- 53
IOTIME Built-In Function	A1- 36
<iteration-expression>	7- 10, 7- 11, 7- 13
<iteration-factor>	4- 52, 8- 20
<iteration-specification>	4- 50, 7- 10, 7- 11, 7- 12, 7- 13
<key-attribute>	4- 36, 4- 39
KEY(<filename>)	A2- 5



<key-option> . . . . . 7- 18  
 KEY option . . . . . 7- 35, 7- 45, 8- 28  
 KEYED attribute . . . . . 4- 39, 7- 45, 8- 28  
 KEYFROM . . . . . 4- 39, 7- 39, 7- 45, 7-46- B, 8- 28, A2- 9, A2- 10  
 KEYFROM option . . . . . 7- 45, 7-46- B  
 KEYLENGTH . . . . . 4- 41, 4- 40  
 KEYORDER . . . . . 4- 41  
 KEYSPERENTRY . . . . . 4- 41  
 KEYSTART . . . . . 4- 41  
 KEYTO option . . . . . 8- 28, A1- 32  
 KEYTYPE . . . . . 4- 41  
 KEYWORDS . . . . . 3- 4

<label> . . . . . 6- 3, 6- 4, 6- 7, 7- 22, 7- 36, 11- 4, 11- 6, 11- 7, 11- 8, 11- 9, 11- 10, 11- 11  
 LABEL attribute . . . . . 4- 25, 9- 7  
 Label Data . . . . . 3- 7  
 Label Prefixes . . . . . 4- 1, 6- 2  
 <labeled-statement> . . . . . 6- 2  
 <label1> . . . . . 11- 9  
 LBOUND Array Manipulation Function . . . . . A1- 29  
 <length> . . . . . 7- 25, A1- 4, A1- 5, A1- 8, A1- 10  
 <length-attribute> . . . . . 4- 10, 4- 11, 4- 12, 4- 35  
 length of data fields . . . . . 8- 18  
 LENGTH String Built-In Function . . . . . A1- 9  
 <letter> . . . . . 7- 27, 7- 28  
 <level> . . . . . 7- 25, 7- 26  
 <like-attribute> . . . . . 4- 44, 4- 45  
 LIMIT . . . . . 7- 15, A7- 3, A7- 16  
 LINECNT . . . . . A7- 3, A7- 17  
 LINENO Built-In Function . . . . . A1- 36  
 <list-directed-data-specification> . . . . . 8- 10  
 List-Directed Input Format . . . . . 8- 10, 8- 15  
 List-Directed Output Format . . . . . 8- 11, 8- 18  
 List-Directed Transmission . . . . . 8- 6, 8- 14  
 LISTP . . . . . A7- 3, A7- 18  
 LIST1 . . . . . A7- 3, A7- 17, A7- 18, A7- 24, A7- 26, A7- 33  
 LIST2 . . . . . A7- 3, A7- 17, A7- 18, A7- 19, A7- 25, A7- 26, A7- 29, A7- 33  
 <locate-statement> . . . . . 7- 39  
 LOCATE statement . . . . . 4- 48  
 <locator-attribute> . . . . . 4- 24, 4- 27  
 Locator Data . . . . . 3- 7  
 <locator-qualifier> . . . . . 4- 29, 4- 47, 7- 51  
 LOG Mathematical Built-In Function . . . . . A1- 24  
 LOGIC option . . . . . A7- 30  
 LOG10 Mathematical Built-In Function . . . . . A1- 24  
 LOG2 Mathematical Built-In Function . . . . . A1- 24  
 LOW String Built-In Function . . . . . A1- 10

<mantissa> . . . . . 8- 22  
 MATHEMATICAL BUILT-IN FUNCTIONS . . . . . A1- 21  
 MAX Arithmetic Built-In Function . . . . . A1- 17  
 <memory-option> . . . . . 7- 18, 7- 19  
 MERGE . . . . . A7- 3, A7- 19, A7- 35  
 Merging of Attributes . . . . . 8- 2  
 MIN Arithmetic Built-In Function . . . . . A1- 18  
 MISCELLANEOUS BUILT-IN FUNCTIONS . . . . . A1- 34  
 MOD Arithmetic Built-In Function . . . . . A1- 18  
 MODE . . . . . 3- 6, 5- 3, A1- 14, A1- 15, A1- 17, A1- 19, A1- 20, A1- 30  
 <mode-attribute> . . . . . 4- 7, 4- 8  
 MODELII . . . . . A7- 3, A7- 19  
 MULTIPLE . . . . . A7- 3, A7- 20  
 MULTIPLY Arithmetic Built-In Function . . . . . A1- 19

NAME(<filename>)	A2- 4
NEW	A7- 3, A7- 16, A7- 20
NEW1	A7- 3, A7- 20, A7- 24, A7- 35
NEW1SEQERR	A7- 3, A7- 21
NEW2	A7- 3, A7- 20, A7- 21, A7- 25
NEW2SEQERR	A7- 3, A7- 22
NOBINDINFO	A7- 3, A7- 22
NODUPLICATE	A2- 9
NONVARYING	4- 12, A3- 1
NORESCAN options	11- 6, 11- 7
notation constant	2- 1
notation variable	2- 1, 2- 2
NULL Based Storage Built-In Function	A1- 34
<null-statement>	7- 54
NULL statement	11- 11
NULLO Based Storage Built-In Function	A1- 34
<number-of-digits>	4- 9
Numeric Binary Data	8- 14
Numeric Decimal Data	8- 14
<numeric-picture-element>	4- 15
<numeric-picture-format-item>	8- 23
<numeric-picture-item>	4- 14
<numeric-picture-specification>	4- 13, 4- 14, 8- 23, 8- 24
OFFER	7- 40, 7- 42
OFFSET	3- 6, 4- 2, 4- 27, 4- 30, 7- 6, 7- 22, 7- 24, 7- 30, 7- 52, 9- 9, A1- 2, A1- 34
<offset-attribute>	4- 27
OFFSET Based Storage Built-In Function	A1- 34
<offset-expression>	4- 29
<ON compound statement>	6- 1
<on-statement>	7- 30
ON statement	4- 36, 7- 1, 7- 3, 7- 30, 7- 31, 7- 33, 10- 4, 10- 9, 10- 10, 10- 11, 10- 12, 10- 13, 10- 14
<on-unit>	7- 30, 7- 31, 7- 32, 7- 33, 7- 54, 10- 14
ONCHAR	10- 15, 10- 16, A1- 2, A1- 31, A1- 37
ONCHAR Condition Built-In Function	A1- 31
ONCHAR Pseudo-Variable	A1- 37
ONCODE	4- 42, 10- 15, 10- 16, A1- 2, A1- 31, A2- 5, A2- 7
ONCODE Condition Built-In Function	A1- 31
ONCODES FOR CONDITIONS	A2- 7
ONCOUNT	10- 14, 10- 16, A1- 2, A1- 31
ONCOUNT Condition Built-In Function	A1- 31
ONFILE	10- 14, 10- 16, A1- 2, A1- 32
ONFILE Condition Built-In Function	A1- 32
ONKEY	10- 15, 10- 16, A1- 2, A1- 32
ONKEY Condition Built-In Function	A1- 32
ONLOC	3- 18, A1- 2, A1- 32
ONLOC Condition Built-In Function	A1- 32
ONSOURCE	10- 15, 10- 16, A1- 2, A1- 33, A1- 38
ONSOURCE Condition Built-In Function	A1- 33
ONSOURCE Pseudo-Variable	A1- 38
OPEN statement	4- 38, 4- 41, 7- 2, 7- 40, 7- 41, 7- 42, 7- 53, 8- 3, 8- 4, A2- 3, A2- 4
Opening a File	7- 25, 8- 3
<operand>	5- 3, 5- 6, 5- 7, 5- 8
OPERATORS	3- 2
OPTIMIZE	A7- 3, A7- 23
<option-list>	7- 19, 7- 23, 7- 35, 7- 37, 7- 39, 7- 43, 7- 44, 7-46- A
OPTIONS	4- 40, 5- 6, 5- 9, 7- 20, 7- 21, 7- 23, 7- 34, 7- 35, 7- 40, 7- 41, 7- 42, 8- 1, A6- 4
<options-group>	7- 34, 7- 40
<or-symbol>	7- 27
OUTPUT	1- 1, 4- 37, 7- 18, 7- 20, 7- 41, 7- 43, 7- 44, 7-46- B, 8- 1, 8- 2, 8- 3, 8- 4, 8- 6, 8- 28, 11- 2, A2- 3

<output-file-option> . . . . . 8- 5  
 <output option> . . . . . 7- 18, 7- 19  
 <output-string-option> . . . . . 8- 5  
 OVERFLOW . . . 3- 5, 6- 2, 6- 7, 7-21- A, 10- 10, 10- 11, 10- 12, 10- 13, A2- 1, A2- 2, A3- 1  
 OVERFLOW statement . . . . . 10- 13  
 <overpunch-character> . . . . . 4- 15, 4- 21  
  
 <packed-specifier> . . . . . 4- 15, 4- 17  
 PAGE option . . . . . 7- 43, 7-46- B, A2- 3, A2- 4  
 <parameter> . . . . . 7- 22, 7- 23  
 <parameter-attribute> . . . . . 4- 32, 4- 35  
 <parameter-attribute-list> . . . . . 4- 32, 4- 34  
 parenthesis . . . . . 3- 1, 3- 3, A2- 10, A7- 2  
 PHYSICALUPDATE . . . . . 4- 41  
 <picture> . . . . . 4- 7  
 <picture-attribute> . . . . . 4- 13  
 PICTURE attribute . . . . . 4- 11, 4- 13  
 <picture-exponent> . . . . . 4- 15  
 <picture-mantissa> . . . . . 4- 15  
 <picture-scale-factor> . . . . . 4- 15, 4- 24, 4- 23  
 <picture-specification> . . . . . 4- 33  
 <picture-type> . . . . . 4- 13  
 POINTER . . . 3- 6, 4- 2, 4- 27, 4- 32, 4- 48, 7- 6, 7- 22, 7- 24, 7- 52, 10- 5, A1- 2, A1- 34, A3- 1  
  
 <pointer-attribute> . . . . . 4- 27  
 POINTER built-in function . . . . . 7- 6, 7- 52  
 <position-attribute> . . . . . 4- 55  
 <positioning-format-item> . . . . . 8- 26  
 positioning format items . . . . . 8- 25  
 <precision> . . . . . 4- 33  
 PRECISION . . . . 3- 6, 5- 3, 7- 25, 7- 28, 7- 30, 11- 3, 11- 7, 3- 19, 11- 8, A1- 1, A1- 14, A1- 15, A1- 17, A1- 19, A1- 20  
  
 <precision-attribute> . . . . . 4- 7, 4- 9, 4- 13  
 <print-attribute> . . . . . 4- 35, 4- 38  
 PRINT attribute . . . . . 4- 38, A1- 36  
 <printing-format-item> . . . . . 8- 26  
 Problem Data . . . . . 3- 6  
 <procedure-block> . . . . . 6- 4  
 <procedure-reference> . . . . . 9- 2  
 <procedure-statement> . . . . . 6- 4, 7- 23  
 PROCEDURE statement . . . . 4- 1, 4- 33, 6- 4, 7- 3, 7- 22, 7- 23, 7- 24, 9- 1, 11- 1, 11- 2, 11- 4, 11- 5  
  
 PROCTIME Built-In Function . . . . . A1- 36  
 PROD Array Manipulation Function . . . . . A1- 30  
 PROGRAM CHECKOUT CONDITIONS . . . . . A2- 5  
 <program-control> . . . . . 4- 7  
 PROGRAMMER NAMED CONDITIONS . . . . . A2- 7  
 PROLOGUES . . . . . 10- 1  
 <pseudo-variable> . . . . . 7- 4, 7- 10, 7- 53, 7- 54  
 <put-statement> . . . . . 7- 43  
 PUT statement . . . 4- 16, 7- 37, 7- 41, 7- 43, 7- 44, 8- 5, 8- 9, 8- 26, 8- 27, 11- 11, A2- 3, A2- 8  
  
 <qualified name> . . . . . 3- 20  
  
 RANDOM Mathematical Built-In Function . . . . . A1- 25  
 <range-specification> . . . . . 7- 27, 7- 28  
 READ INTO option . . . . . 8- 28  
 READ operation . . . . . 8- 28  
 <read-statement> . . . . . 7- 44  
 READ statement . . . 4- 2, 4- 4, 4- 28, 7- 44, 7- 45, 7- 46, 8- 3, 8- 28, 10- 4, 10- 9  
 REAL . . . . . 4- 8, 4- 9, 4- 35, A1- 2, A1- 14

<real-arithmetic-constant>	3- 7
RECORD attribute	4- 40
RECORD data transmission	8- 1
RECORD(<filename>)	A2- 5
record operation statements	8- 27
<record-type>	4- 59
<refer-option>	4- 11, 4- 43, 4- 47
<remote-format-item>	8- 27
REPEAT String Built-In Function	A1- 10
<repetition-factor>	4- 13, 4- 14, 4- 15
<repetitive-specification>	8- 8
RESCAN option	11- 7
<return-statement>	7- 17
RETURN statement	7- 3, 7- 17, 7- 22, 7- 24, 7- 30, 10- 2, 10- 7, 10- 12, 11- 4, 11- 5
<returns-attribute>	4- 32, 4- 33
RETURNS attribute	9- 9, 10- 1, 4- 35
REVERSE String Built-In Function	A1- 10
<revert-statement>	7- 31
REVERT statement	7- 31, 7- 32, 10- 13
<rewrite-statement>	7-46- A
REWRITE statement	7- 2, 7-46- A, 8- 28
ROUND Arithmetic Built-In Function	A1- 19
<S-D digits>	8- 23
SAVEDELETIONS	4- 40
<scalar-area-variable>	7- 47, 7- 51
<scalar-assignment>	7- 4, 7- 5
<scalar-character-string-variable>	7- 37, 7- 43, 7- 45, 8- 5
<scalar-character-variable>	7- 36
<scalar expression>	8- 5
<scalar-expression>	7- 4, 7- 5, 7- 10, 7- 16, 7- 17, 7- 35, 7- 36, 7- 37, 7- 39, 7- 40, 7- 42, 7- 43, 7- 44, 7- 45, 7- 46, 7-46- A, 7-46- B, 7-46- C, 7- 53, 7- 54, 8- 5, 8- 20, 8- 28
<scalar-expression list>	7- 40
<scalar-expression-list>	7- 42
Scalar Items	3- 13
<scalar-locator-expression>	4- 27, 7- 25
<scalar-locator-variable>	7- 47
<scalar-name>	4- 11, 4- 47
<scalar-pointer-variable>	7- 39, 7- 40, 7- 44
<scalar-pseudo-variable>	8- 8
<scalar-task-name>	7- 9
<scalar-variable>	7- 4, 7- 21, 7- 53, 7- 54, 8- 8, 8- 15
Scalar Variables	3- 14
<scale-attribute>	4- 7, 4- 8, 4- 13
<scale-factor>	4- 9
<scope>	4- 7
<scope-attribute>	2- 3, 4- 33, 4- 35, 4- 49
SCOPE attribute	10- 7
SEG	A7- 3, A7- 23
SEGS	A7- 3, A7- 23
<selector-function>	7- 27, 7- 28, 7- 29
SEPARATORS AND OTHER DELIMITERS	3- 3
SEQ	7- 41, A7- 3, A7- 4, A7- 7, A7- 9, A7- 14, A7- 24, A7- 31
SEQUENCE	7- 3, A7- 24
SEQUENTIAL file	8- 28
SEQ1	A7- 3, A7- 24
SEQ2	A7- 3, A7- 24, A7- 25
<set-option>	4- 28
SET option	7- 39, 7- 45, 7- 48, 7- 49, 8- 27
SIGN Arithmetic Built-In Function	A1- 20
<sign-character>	4- 20
<sign-currency-character>	4- 15

<signal-statement>	7- 33
SIGNAL statement	7- 3, 7- 31, 7- 33, 10- 16
<simple-character-string-constant>	8- 10
Simple Names	3- 18
<simple-statement>	6- 1
SIN Mathematical Built-In Function	A1- 25
SIND Mathematical Built-In Function	A1- 25
SINGLE	A7- 3, A7- 26
<single-statement>	6- 3
SINGLE1	A7- 3, A7- 26
SINGLE2	A7- 3, A7- 26, A7- 27
SINH Mathematical Built-In Function	A1- 25
SIXTY	A7- 3, A7- 27
<size-attribute>	4- 30
SIZE condition	7-21- A, 8- 22, 8- 23, 10- 13, A2- 2
SKIP format item	8- 26
SKIP option	7- 38, 7- 41, 7- 43, 7-46- B, A2- 3
<sort identifier>	7- 18
<sort-identifier>	7- 18
<sort option>	7- 18
<sort-option>	7- 18
<sort-statement>	7- 18
SORT statement	7- 18
<spacing-format-item>	7- 18
special characters	8- 25
<specification>	3- 1
<specification-string>	8- 8
SQRT Mathematical Built-In Function	A1- 6, A1- 7
STACK	A1- 25
STATCONTROL	A7- 3, A7- 27
<statement>	A7- 3, A7- 27, A7- 28, A7- 29
<statement-body>	6- 2, 6- 3, 6- 7
<statement-identifier>	6- 1
statement identifier	6- 1
<statement-label-constant>	3- 3, 3- 4
Statement Label Constants	4- 23, 4- 25
<statement-label-designator>	3- 9
<statement-label-name>	8- 27
Statement Label Variables	7- 14
STATIC attribute	3- 12
static character	4- 25, 4- 42, 4- 49, 4- 54
STATIC storage attribute	4- 21
STATISTICS	10- 6
STMTNO	A7- 3, A7- 28, A7- 29, A7- 30
<stop-statement>	A7- 3, A7- 30
STOP statement	7- 21
<storage>	7- 14, 7- 20, 10- 2
STORAGE	4- 7
<storage-class>	4- 46, 10- 5
Storage Classes	4- 46, 4- 49
STREAM attribute	10- 5
STREAM data transmission	4- 37, 4- 39, A1- 35
<stream-input-statement>	4- 31, 8- 1
<stream-output-statement>	8- 5
STREAM transmission	8- 5
<string>	4- 7, 4- 10, A1- 6, A1- 9, A1- 10, A1- 11, A1- 12, A1- 37
String attributes	4- 10
String Data	3- 6, 8- 14
STRING HANDLING BUILT-IN FUNCTIONS	A1- 3
<string-one>	A1- 13
STRING option	4- 15, 7- 38
<string-two>	A1- 13
<string-type-attribute>	4- 10
STRINGRANGE	6- 7, 10- 10, A1- 11, A2- 1, A2- 6, A3- 1

<structure>	4- 7, 4- 44
Structure Arrays	3- 17
<structure-assignment>	7- 4, 7- 5, 7- 7
<structure-attribute>	4- 43
<structure-expression>	7- 4
<structure-variable>	4- 45, 7- 4
Structures	3- 16, 7- 26, A6- 2
SUBFILE	7- 34, 7- 40, 7- 41, 7- 44, 7- 46, 7-46- A, 7-46- B, 7-46- C
<subroutine-reference>	9- 2
<subscript>	3- 17, 3- 22
<subscripted-name>	3- 17
<subscripted-qualified-name>	3- 22
SUBSCRIPTRANGE	6- 7, 10- 10, 10- 12, A2- 5, A3- 1
SUBSTR Pseudo-Variable	A1- 38
SUBSTR String Built-In Function	A1- 11
SUM Array Manipulation Function	A1- 30
syntactical unit	2- 2
syntax rule	2- 3
SYSTEM ACTION CONDITIONS	A2- 7
<system-file-attribute>	4- 39, 7- 40, 7- 53
<system-file-attribute-assignment-statement>	7- 53
<system-file-attribute-reference-statement>	7- 53
<system-file-attribute-specification>	7- 40
<system-file-attribute-specification-list>	7- 40
System Interrupt Action	10- 12
<system-task-attribute>	7- 54
<system-task-attribute-assignment-statement>	7- 54
<system-task-attribute-reference-statement>	7- 54
TAN Mathematical Built-In Function	A1- 26
TAND Mathematical Built-In Function	A1- 26
TANH Mathematical Built-In Function	A1- 26
TAPECOL	A7- 3, A7- 31
Task Data	3- 7
<task-designator>	7- 54
TASK option	4- 2, 7- 9
<task-variable>	7- 54
TIME	1- 1, 11- 1, 11- 3, 11- 4, 11- 6, A1- 2, A1- 35, A1- 37, A1- 36, A7- 3, A7- 32, A7- 33
TIME Built-In Function	A1- 37
TITLE	7- 40, 7- 41, 7- 42, 8- 3, A7- 3, A7- 12, A7- 33
TO-clause	7- 11
TRACE	A7- 3, A7- 33, A7- 34
TRACEENTRYS	A7- 3, A7- 34
TRACELABELS	A7- 3, A7- 34
TRANSLATE String Built-In Function	A1- 12
<transmission-attribute>	4- 36, 4- 37
Transmission of Data List Elements	8- 9
TRANSMIT(<filename>)	A2- 4
TRUNC Arithmetic Built-In Function	A1- 20
UNDEFINEDFILE(<filename>)	A2- 4
UNDERFLOW	6- 7, 10- 10, A2- 1, A2- 3, A3- 1
<unit-1>	7- 16
<unit-2>	7- 16
UNSPEC Pseudo-Variable	A1- 38
UNSPEC String Built-In Function	A1- 12
UPDATE attribute	4- 37
UPTO String Built-in Function	A1- 13
<value>	11- 11, A1- 4, A1- 5
<value-item>	4- 52
<variable>	4- 41, 7- 10, 7- 11, 7- 39, 7- 44, 7- 45, 7- 46, 7-46- A, 7-46- B

<variable-attribute> . . . . . 4- 50, 4- 52, 4- 54  
 VARIABLES . . . . . 1- 1, 3- 12, 11- 3, A1- 36  
 VARYING . . . . . 2- 2, 4- 12, 4- 55, 5- 8, 7- 5, 11- 3, 11- 8, A3- 1  
 <varying-attribute> . . . . . 4- 10, 4- 12  
 VERIFY String Built-In Function . . . . . A1- 13  
 VOID . . . . . A7- 3, A7- 20, A7- 35  
 VOIDT . . . . . A7- 3, A7- 20, A7- 35  
 VOLUME . . . . . 7- 34, 7- 35  
  
 WAIT statement . . . . . 7- 21  
 WAITUPDATEIO . . . . . 4- 41  
 WARN . . . . . A7- 3, A7- 12, A7- 13, A7- 36  
 <while-expression> . . . . . 7- 10, 7- 11, 7- 13  
 <write-statement> . . . . . 7-46- A  
 WRITE statement . . . . . 7- 40, 7-46- A, 7-46- B, 7-46- C, 8- 28, 10- 9  
  
 XREF . . . . . A7- 3, A7- 36  
  
 <zero-suppression> . . . . . 4- 17  
 <zero-suppression-character> . . . . . 4- 17  
 ZERODIVIDE . . . . . 3- 5, 6- 7, 10- 9, A2- 1, A2- 3, A3- 1

4-23-74  
 4-24-74  
 4-25-74  
 4-26-74  
 4-27-74  
 4-28-74  
 4-29-74  
 4-30-74  
 5-1-74  
 5-2-74  
 5-3-74  
 5-4-74  
 5-5-74  
 5-6-74  
 5-7-74  
 5-8-74  
 5-9-74  
 5-10-74  
 5-11-74  
 5-12-74  
 5-13-74  
 5-14-74  
 5-15-74  
 5-16-74  
 5-17-74  
 5-18-74  
 5-19-74  
 5-20-74  
 5-21-74  
 5-22-74  
 5-23-74  
 5-24-74  
 5-25-74  
 5-26-74  
 5-27-74  
 5-28-74  
 5-29-74  
 5-30-74  
 5-31-74  
 6-1-74  
 6-2-74  
 6-3-74  
 6-4-74  
 6-5-74  
 6-6-74  
 6-7-74  
 6-8-74  
 6-9-74  
 6-10-74  
 6-11-74  
 6-12-74  
 6-13-74  
 6-14-74  
 6-15-74  
 6-16-74  
 6-17-74  
 6-18-74  
 6-19-74  
 6-20-74  
 6-21-74  
 6-22-74  
 6-23-74  
 6-24-74  
 6-25-74  
 6-26-74  
 6-27-74  
 6-28-74  
 6-29-74  
 6-30-74  
 7-1-74  
 7-2-74  
 7-3-74  
 7-4-74  
 7-5-74  
 7-6-74  
 7-7-74  
 7-8-74  
 7-9-74  
 7-10-74  
 7-11-74  
 7-12-74  
 7-13-74  
 7-14-74  
 7-15-74  
 7-16-74  
 7-17-74  
 7-18-74  
 7-19-74  
 7-20-74  
 7-21-74  
 7-22-74  
 7-23-74  
 7-24-74  
 7-25-74  
 7-26-74  
 7-27-74  
 7-28-74  
 7-29-74  
 7-30-74  
 7-31-74  
 8-1-74  
 8-2-74  
 8-3-74  
 8-4-74  
 8-5-74  
 8-6-74  
 8-7-74  
 8-8-74  
 8-9-74  
 8-10-74  
 8-11-74  
 8-12-74  
 8-13-74  
 8-14-74  
 8-15-74  
 8-16-74  
 8-17-74  
 8-18-74  
 8-19-74  
 8-20-74  
 8-21-74  
 8-22-74  
 8-23-74  
 8-24-74  
 8-25-74  
 8-26-74  
 8-27-74  
 8-28-74  
 8-29-74  
 8-30-74  
 8-31-74  
 9-1-74  
 9-2-74  
 9-3-74  
 9-4-74  
 9-5-74  
 9-6-74  
 9-7-74  
 9-8-74  
 9-9-74  
 9-10-74  
 9-11-74  
 9-12-74  
 9-13-74  
 9-14-74  
 9-15-74  
 9-16-74  
 9-17-74  
 9-18-74  
 9-19-74  
 9-20-74  
 9-21-74  
 9-22-74  
 9-23-74  
 9-24-74  
 9-25-74  
 9-26-74  
 9-27-74  
 9-28-74  
 9-29-74  
 9-30-74  
 9-31-74  
 10-1-74  
 10-2-74  
 10-3-74  
 10-4-74  
 10-5-74  
 10-6-74  
 10-7-74  
 10-8-74  
 10-9-74  
 10-10-74  
 10-11-74  
 10-12-74  
 10-13-74  
 10-14-74  
 10-15-74  
 10-16-74  
 10-17-74  
 10-18-74  
 10-19-74  
 10-20-74  
 10-21-74  
 10-22-74  
 10-23-74  
 10-24-74  
 10-25-74  
 10-26-74  
 10-27-74  
 10-28-74  
 10-29-74  
 10-30-74  
 10-31-74  
 11-1-74  
 11-2-74  
 11-3-74  
 11-4-74  
 11-5-74  
 11-6-74  
 11-7-74  
 11-8-74  
 11-9-74  
 11-10-74  
 11-11-74  
 11-12-74  
 11-13-74  
 11-14-74  
 11-15-74  
 11-16-74  
 11-17-74  
 11-18-74  
 11-19-74  
 11-20-74  
 11-21-74  
 11-22-74  
 11-23-74  
 11-24-74  
 11-25-74  
 11-26-74  
 11-27-74  
 11-28-74  
 11-29-74  
 11-30-74  
 11-31-74  
 12-1-74  
 12-2-74  
 12-3-74  
 12-4-74  
 12-5-74  
 12-6-74  
 12-7-74  
 12-8-74  
 12-9-74  
 12-10-74  
 12-11-74  
 12-12-74  
 12-13-74  
 12-14-74  
 12-15-74  
 12-16-74  
 12-17-74  
 12-18-74  
 12-19-74  
 12-20-74  
 12-21-74  
 12-22-74  
 12-23-74  
 12-24-74  
 12-25-74  
 12-26-74  
 12-27-74  
 12-28-74  
 12-29-74  
 12-30-74  
 12-31-74